

<b>Topics</b>	<b>Page</b>
Socio-Demographic Profile	2
Fiscal Year 2000	3
Patients Served	4
Men's Health Center	5
Substance Abuse	6
Birth	7
Childhood	8
Selected Communicable Diseases	9
Sexually Transmitted Diseases	10
HIV/AIDS	11
Cancer	12
Injuries	14
Mortality	15
Historical Trends	16

<b>List of Figures:</b>	<b>Page</b>
<i>Figure 1: Population Estimates, Baltimore City, 1999</i>	2
<i>Figure 2: Medical Assistance and Unemployment, Baltimore City, 1993-1999</i>	2
<i>Figure 3: Revenue Sources</i>	3
<i>Figure 4: Budget by Objective</i>	3
<i>Figure 5: Patients Served, Baltimore City Health Department, FY00</i>	4
<i>Figure 6: Men's Health Center Client Residences</i>	5
<i>Figure 7: Substance Abuse Treatment by Race, Baltimore City, 2000</i>	6
<i>Figure 8: Comparative Natality Indicators, Baltimore and Maryland, 1999</i>	7
<i>Figure 9: Birth (Fertility Rates), Baltimore City, 1992 - 1999</i>	7
<i>Figure 10: Infant Mortality Rates, Baltimore City, 1992 - 1999</i>	8
<i>Figure 11: Vaccination Compliance Rates, Baltimore City, 1992, 1995, &amp; 1998-2000</i>	8
<i>Figure 12: Incidence of Hepatitis, Baltimore City, 1999-2000</i>	9
<i>Figure 13: Tuberculosis, Baltimore City, 1991 - 2000</i>	9
<i>Figure 14: Gonorrhea</i>	10
<i>Figure 15: Syphilis</i>	10
<i>Figure 16: Diagnosed AIDS Cases, 1992 - 1999</i>	11
<i>Figure 17: HIV Incidence by Race/Gender, Baltimore City, 1994-1999</i>	11
<i>Figure 18: New Cancer Cases, Baltimore City, 1997</i>	12
<i>Figure 19: Cancer Deaths for Selected Sites, Baltimore City, 1998</i>	13
<i>Figure 20: Deaths by Injury Type, Baltimore City, 1995-1999</i>	14
<i>Figure 21: Causes of Death, Baltimore City, 1999</i>	15

**Vision:**

- *To serve as an architect and a catalyst for needed policy development and change in health and human services systems.*
- *To be the leader and advocate for the protection and promotion of the health of Baltimore's citizens.*

**Mission:**

- *To have all Baltimoreans live in a healthy environment and have appropriate health care services readily available to them.*

**Goals:**

- *To work in partnership with the community, elected officials, and providers to ensure that quality health care is available for all residents of Baltimore City through legislative advocacy and clinical activities*
- *To reduce the incidence of risk factors among adolescents which lead to unhealthy outcomes*
- *To advocate for health, mental hygiene, environmental health, and substance abuse services where they are needed*

**Priorities:**

- *Increase access to health care*
- *Reduce substance abuse and related issues (I.e., HIV/AIDS, crime)*
- *Reduce incidence of syphilis and other STD's*
- *Prevent adolescent and child morbidity*
- *Increase community participation in environmental issues*
- *Increase cancer awareness and early detection*

**Staffing:**

- *Full Time Employees : 742*
- *Part Time Employees: 297*

## SOCIO-DEMOGRAPHIC PROFILE

Figure 1: Population Estimates, Baltimore City, 1999





Figure 2: Medical Assistance and Unemployment, Baltimore City, 1993-1999




Population Estimate - 1999	632,681
Births - 1999	9,734
Deaths - 1999	8,814
Drug Arrest Rate (per 100,000 people) - 1998	2,853.3
Juvenile Arrest Rate (per 100,000 10-17 year olds) - 1999	13,468.0
Median Household Income - 1999	\$34,500
Population at or below Poverty Level - 1998	23.70%

Sources:  
 Maryland DHMH  
 Maryland DLLR  
 U.S. Census Bureau  
 Baltimore Health Care Access  
 Baltimore City Police Dept.  
 Baltimore City Data Collaborative

**FISCAL YEAR 2000: BALTIMORE CITY HEALTH DEPARTMENT**

**Revenue: \$140,183,643**

*Figure 3: Revenue Sources*



*Figure 4: Budget by Objective*





Figure 5: Patients served in selected services, Baltimore City Health Department, FY00



\* Opened in April 2000


Source: Citistat

# The Men's Health Center

In April 2000, the nation's first Men's Health Center opened its doors.


Since that time, more than 1250 uninsured men from all over Baltimore City have received services.

Figure 6:



## \*SUBSTANCE ABUSE TREATMENT PROFILE IN FY2000

Figure 7: Substance Abuse Treatment by Race  
Baltimore City, FY2000



Age Group				
	Male	Female	Total	%
Under 18	541	306	847	4.64%
18 to 25	906	553	1,459	7.99%
26 to 30	1,083	1,104	2,187	11.97%
31 to 40	3,980	3,667	7,647	41.86%
41 to 50	3,192	1,817	5,009	27.42%
Over 50	804	226	1,030	5.64%
Unknown	78	13	91	0.50%
<b>TOTAL</b>	<b>10,584</b>	<b>7,686</b>	<b>18,270</b>	<b>100.00%</b>

Service Category				
	Male	Female	Total	%
Outpatient	4,232	1,932	6,164	33.74%
Methadone Maintenance	3,019	3,225	6,244	34.18%
Intensive Outpatient	1,583	906	2,489	13.62%
Residential	1,246	1,006	2,252	12.33%
Detoxification	501	547	1,048	5.74%
Correctional	3	70	73	0.40%
<b>TOTALS</b>	<b>10,584</b>	<b>7,686</b>	<b>18,270</b>	<b>100%</b>

Substances of Abuse	Number	Percent
Heroin:	13,122	71.82%
Cocaine/Crack:	9,773	53.49%
Alcohol:	6,669	36.50%
Marijuana/Hashish:	3,150	17.24%
Non-Rx Methadone:	346	1.89%
Other Opiates and Synthetics:	225	1.23%
Benzodiazepine:	185	1.01%
Other Sedatives or Hypnotics:	117	0.64%
Barbiturates:	44	0.24%
Hallucinogens (Other than PCP):	40	0.22%
PCP:	39	0.21%
Other Tranquilizers:	36	0.20%
Inhalants:	23	0.13%
Other:	20	0.11%
Other Amphetamines:	14	0.08%
Steroids (anabolic):	12	0.07%
Over the Counter:	8	0.04%
Methamphetamines:	7	0.04%
Other Stimulants:	4	0.02%

\* These numbers are a roll-up of primary, secondary and tertiary substances of abuse as reported at admission

### Why Invest in Drug Treatment?

- **It significantly reduces drug use:**
  - 60% reduced weekly heroin use one year post-treatment (TOPS Study, Hubbard et al. 1989)
- **It reduces criminal activity:**
  - The costs associated with the decrease in crime easily cover the cost of treatment (Rajkumar and French, 1997)
- **It reduces physical and mental health problems:**
  - Individuals with continuous involvement in drug abuse treatment have a reduced risk of contracting HIV (e.g. Metzger et al., 1993)
- **It leads to increased employment for persons in recovery:**
  - 25% were employed at treatment intake, 46% were employed 3 months post-treatment, and 56% were employed 12 months post-treatment (Hartmann and Wolk, 1994)

**\$1 in treatment for alcohol and other drug problems saved taxpayers \$7.14 in future costs (Gerstein et al., 1994)**

**An estimated 59,000 illicit substance users live in Baltimore City**

\* Source: BSAS, Inc.

## **BIRTH**

Figure 8: Comparative Natality Indicators, Baltimore and Maryland, 1999






Figure 9: Birth (Fertility Rates), Baltimore City, 1992 - 1999



Source: Division of Health Statistics, DHMH

## **INFANT MORTALITY:**


Figure 10: Infant Mortality Rates, Baltimore City, 1992 - 1999



Source: Division of Health Statistics, DHMH

## **IMMUNIZATION**

Figure 11: Vaccination Compliance Rates, Baltimore City, 1992, 1995, & 1998-2000



\* Based on a retrospective survey conducted in 1995

\*\* 1995's rate is based on documented compliance


\*\*\* Second best in the nation for children aged 19 - 35 months, based on National Immunization Survey 1998.

Source: National Immunization Services, CDC

## COMMUNICABLE DISEASES

DISEASE GROUP	1999	2000
Arboviral Grp	0	0
Campylobacteriosis Grp	39	50
Encephalitis Grp	7	5
Giardiasis	26	23
Hepatitis A Acute	99	96
Hepatitis B Lab Only	671	679
Hepatitis C Lab Only	138	780
Influenza Grp	29	23
Legionellosis	7	14
Listeriosis	5	5
Malaria	11	7
Meningitis Aseptic Grp + other	75	142
Meningococcal Grp	10	7
Mumps	3	4
Pertussis	20	17
RMSF	1	2
Salmonella Grp	146	142
Shigellosis Grp	21	49
Strep Grp	112	17
Tuberculosis	77	67
Vibrio Noncholera Grp	1	2
West Nile Virus Unspec	0	0


Figure 12: Incidence of Hepatitis, Baltimore City, 1999-2000



### Tuberculosis

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Tuberculosis	148	127	120	104	97	103	92	84	77	67

Figure 13: Tuberculosis, Baltimore City, 1991 - 2000



**Tuberculosis has declined by 55% since 1991**

Source: Bureau of Acute Communicable Diseases, CDE, BCHD

## SEXUALLY TRANSMITTED DISEASES


### Gonorrhea

Year	Cases
1992	10,939
1993	9,341
1994	10,802
1995	8,727
1996	6,301
1997	6,693
1998	6,989
1999	5,977
2000	5,338

### Syphilis

Year	Primary	Secondary	Total
1992	92	103	195
1993	99	80	179
1994	87	105	192
1995	175	252	427
1996	196	351	547
1997	226	441	667
1998	155	303	458
1999	66	168	234
2000	86	132	218


Figure 14: Gonorrhea



51% decrease in gonorrhea cases since 1992

Figure 15: Syphilis

### Reported Cases of Primary and Secondary Syphilis, Baltimore City, 1992 - 2000



**Syphilis epidemic, associated with arrival of crack cocaine and crack-for-sex trade in mid 90's, peaked in 1997. Multi-pronged approach of increasing clinicians in STD clinics; raising awareness of disease with providers and at-risk individuals; administering rapid syphilis testing at the city detention center; and street testing of at-risk individuals resulted in 67% decrease since 1997, the largest such decrease for any city in the nation**

Source: STD Bureau, CDE, BCHD

## HIV/AIDS

Figure 16: Diagnosed AIDS Cases, 1992 - 1999





Figure 17: HIV Incidence by Race/Gender, Baltimore City, 1994-1999




Source: Maryland AIDS Administration

# CANCER

New Cases -1997

SITE	Number of New Cases						Rates per 100,000 Population					
	Male		Female		Total		Male		Female		Total	
	Maryland	Baltimore	Maryland	Baltimore	Maryland	Baltimore	Maryland	Baltimore	Maryland	Baltimore	Maryland	Baltimore
<b>All Sites</b>	11897	1786	11708	1827	23605	3613	494.12	534.21	369.84	384.42	420.84	442.06
<b>Oral Cavity and Pharynx</b>	345	67	197	36	542	103	14.03	20.97	6.43	8.42	9.86	13.73
Oral Cavity	170	39	113	20	283	59	6.85	12.25	3.79	4.52	5.16	7.8
Lip	20	1	11	2	31	3	0.81	0.37	0.29	0.23	0.51	0.32
Tongue	89	15	42	7	131	22	3.63	4.73	1.33	1.68	2.39	2.97
Pharynx	66	12	31	7	97	19	2.74	3.63	1.03	1.98	1.81	2.63
<b>Digestive System</b>	2298	370	2190	417	4488	787	95.37	111.1	64.09	78.87	77.98	92.23
Esophagus	165	38	70	18	235	56	6.89	11.93	2.16	3.6	4.31	7.18
Stomach	251	49	140	27	391	76	10.45	14.84	3.96	4.82	6.81	8.97
Small Intestine	55	13	45	12	100	25	2.24	4.33	1.41	2.48	1.8	3.3
Colon	916	128	1109	209	2025	337	38.02	38.19	31.83	38.92	34.57	38.78
Rectum	406	58	329	52	735	110	16.88	16.55	10	10.46	13.05	12.72
Liver and Intrahepatic Bile Duct	134	24	68	11	202	35	5.55	7.06	2.03	2.19	3.55	4
Pancreas	273	39	270	52	543	91	11.31	12	7.83	9.42	9.44	10.7
Other Digestive	98	21	159	36	257	57	4.04	6.21	4.86	6.98	4.44	6.58
<b>Respiratory System</b>	2287	426	1653	308	3940	734	95.82	127.97	53.27	64.62	71.65	90.15
Larynx	200	49	49	12	249	61	8.48	15.27	1.69	2.58	4.73	7.86
Lung and Bronchus	2022	371	1581	293	3603	664	84.71	111.01	50.93	61.58	65.46	81.34
Other Respiratory	65	6	23	3	88	9	2.64	1.69	0.64	0.46	1.46	0.94
<b>Bones and Joints</b>	22	2	22	3	44	5	0.82	0.81	0.83	0.9	0.83	0.9
<b>Soft Tissue</b>	82	8	69	11	151	19	3.2	2.24	2.33	2.68	2.71	2.43
<b>Skin</b>	490	41	397	35	887	76	18.99	11.89	12.63	7.65	15.22	9.23
Melanomas of Skin	431	34	368	30	799	64	16.83	10.03	11.76	6.37	13.78	7.68
Other Skin	59	7	29	5	88	12	2.16	1.86	0.87	1.29	1.44	1.55
<b>Breast</b>	49	8	3754	507	3803	515	2.06	2.37	120.61	113.2		
<b>Female Genital Organs</b>			1331	197					43.68	43.48		
Cervix-invasive			261	43					8.1	9.23		
Uterus			556	72					18.81	16.17		
Ovary			427	64					14.29	14.72		
Other Female Genital			87	18					2.49	3.36		
<b>Male Genital Organs</b>	3748	514					158.92	153.43				
Prostate	3608	496					154.32	148.62				
Testis	128	14					4.12	3.77				
Other Male Genital	12	4					0.48	1.05				
<b>Urinary System</b>	1056	137	513	79	1569	216	43.68	39.76	15.86	15.13	27.65	24.96
Bladder	699	86	285	44	984	130	29	24.55	8.4	7.51	17.04	14.26
Kidney	332	49	214	33	546	82	13.64	14.56	7.08	7.29	9.95	10.26
Other Urinary	25	2	14	2	39	4	1.05	0.65	0.39	0.33	0.66	0.44
<b>Eye</b>	24	0	14	1	38	1	0.98	0	0.41	0.09	0.68	0.07
<b>Brain and Other Nervous System</b>	193	23	143	12	336	35	7.91	7.15	5.08	3.15	6.37	4.97
<b>Endocrine System</b>	111	8	256	33	367	41	4.12	2.53	8.49	7.98	6.33	5.52
Thyroid	92	5	238	27	330	32	3.3	1.43	7.79	6.38	5.59	4.15
Other Endocrine	19	3	18	6	37	9	0.82	1.11	0.7	1.6	0.74	1.37
<b>Leukemias</b>	217	32	167	31	384	63	9.13	9.94	5.32	6.48	7.07	7.94
<b>Lymphomas</b>	511	72	457	67	968	139	19.9	20.47	14.44	14.26	16.96	17.07
Hodgkin's Disease	72	12	62	6	134	18	2.75	3.31	2.22	1.33	2.46	2.25
Non-Hodgkin's Lymphomas	439	60	395	61	834	121	17.15	17.15	12.22	12.94	14.49	14.81
<b>Multiple Myelomas</b>	114	24	112	24	226	48	4.82	7.64	3.66	5.76	4.15	6.56
<b>Unknown/Other/ill Defined Sites</b>	350	54	433	66	783	120	14.36	15.93	12.72	11.75	13.32	13.22

Figure 18: New Cancer Cases, Baltimore City, 1997




Source: Maryland Cancer Registry, DHMH

## **CANCER**

### **Age Adjusted Mortality Rates For Selected Sites, 1998**

	<b>Cases</b>			<b>Age-adjusted rates per 100,000</b>		
	<b>All Races</b>	<b>African American</b>	<b>White</b>	<b>All Races</b>	<b>African American</b>	<b>White</b>
<b>Lung</b>	580	325	253	75.2	77.1	75.3
<b>Breast</b>	143	82	61	30.2	32.0	27.4
<b>Prostate</b>	106	76	30	32.0	49.4	16.1
<b>Colon</b>	210	111	n/a	25.6	26.4	24.7
<b>All Sites</b>	1890	1079	804	237.0	254.9	220.3

*Figure 19: Cancer Deaths for Selected Sites, Baltimore City, 1998*




Source: Maryland Cancer Registry, DHMH

## INJURIES

## DEATH DUE TO:

Category	1995	1996	1997	1998	1999
Bicycle	0	0	0	1	0
Drowning	16	6	12	14	11
Excessive Cold	8	13	6	8	9
Excessive Heat	15	1	1	1	5
Fall	49	36	42	56	37
Playground Fall	0	0	0	0	1
Fire	42	18	27	29	18
Firearm	9	30	9	8	3
Fracture	20	13	11	9	0
Homicide	288	272	274	279	274
Medical/Surgical	106	144	130	121	15
Adverse Medicinal Reaction	30	32	25	27	1
Motor Vehicle	62	69	66	75	84
Poisoning (includes drug overdose)	258	235	274	277	308
Scald/Burn	0	0	0	0	1
Suffocation	99	90	99	100	18
Suicide	76	84	72	61	57
Other	44	51	35	39	20
<b>TOTAL</b>	<b>1122</b>	<b>1094</b>	<b>1083</b>	<b>1105</b>	<b>862</b>

Figure 20: Deaths by Injury Type, Baltimore City, 1995-1999



## MORTALITY, 1999

### Leading Causes of Death

		*Rates	Number
Rank	All Causes	1,393.1	8814
1	Heart	374.6	2370
2	Cancer	281.3	1780
3	Stroke	82.2	520
4	HIV	59.9	379
5	Diabetes	49.3	312
6	**Poisoning	48.7	308
7	***COPD	46.3	293
8	Septicemia	45.4	287
9	Homicide	43.6	276
10	Nephritis	30.5	193
11	All Accidents	29.9	189
12	Mental Disorders	27.5	174
13	Liver Disease	26.1	165
14	Artery Disease	19.4	123
	All Other Causes	228.4	1445


\* Rates per 100,000 population

\*\* Includes drug overdose

\*\*\* COPD - Chronic Obstructive Pulmonary Diseases

Figure 21: Causes of Death, Baltimore City, 1999

### Causes of Death, Baltimore City, 1999



Source: Division of Health Statistics, BCHD

## Historical Trends

### Mortality

Rank	1898	1949	1989
1	Infant Death (under 1year)	Heart Disease	Heart Disease
2	Consumption Disease (TB)	Cancer	Cancer
3	Nervous System Disease	Cerebral Hemorrhage	Cerebral Hemorrhage
4	Bronchitis & Pneumonia	Kidney Disease	Pneumonia & Influenza
5	Diarrheal Disease	Infant Death (under 1year)	COPD
6	Heart Disease	Injuries	Injuries
7	Kidney Disease	Tuberculosis	Diabetes
8	Digestive Disease	Diabetes	Homicide
9	Injuries	Bronchitis & Pneumonia	Septicemia

<b>Homicide Rank</b>	21	13	8
----------------------	----	----	---

### Other Vital Statistics

	1898	1949	1989
<b>Population</b>	541,000	968,000	740,697
<b>Births</b>	8,793	21,496	13,800
<b>Deaths</b>	10,385	10,772	9,629
<b>Infant Deaths</b>	2,724	672	204
<b>Infant Mortality Rate (per 1000 live births)</b>	309.8	31.3	14.8

1999
Heart Disease
Cancer
Cerebral Hemorrhage
HIV
Diabetes
Poisoning
COPD
Septicemia
Homicide

9
---


--

1999
632,681
9,734
8,814
135
13.5

## HISTORICAL PERSPECTIVE: YEAR 1898

CAUSES OF DEATH		NUMBER	Population	541,000
All Causes		10,385	Deaths	10,385
			Births	8,793
			Infant Mortality	2,724
			Rate:	309.8 per 1,000 live births
Rank				
1	Infant Death (under 1year)	2,724		
2	Consumption Disease (TB)	1,061		
3	Nervous System Disease	1,012		
4	Bronchitis & Pneumonia	1,005		
5	Diarrheal Disease	970		
6	Heart Disease	562		
7	Kidney Disease	529		
8	Digestive Disease	279		
9	Injuries	279		
21	Homicide	12		
Other		1,952		

Figure 20: Causes of Death in the 19th Century




Source: Health Statistics, BCHD

## HISTORICAL PERSPECTIVE: YEAR 1899

<u>CAUSES OF DEATH</u>		<u>NUMBER</u>		
All Causes		10,152	Population	541,000
			Deaths	10,152
			Births	8,038
			Infant Mortality	2,433
			Rate:	302.7 per 1,000 live births
Rank				
1	Infant Death (under 1year)	2,433		
2	Consumption Disease (TB)	1,236		
3	Nervous System Disease			
4	Bronchitis & Pneumonia			
5	Diarrheal Disease			
6	Heart Disease			
7	Kidney Disease			
8	Digestive Disease			
9	Injuries			
21	Homicide			
Other				

*Figure 20: Causes of Death in the 19th Century*

### Causes of Death, Baltimore City, 1898



	<i>CAUSES OF DEATH</i>	<i>NUMBER</i>
	All Causes	10,772
<i>Rank</i>		
	1 Heart Disease	4,072
	2 Cancer	1,818
	3 Cerebral Hemorrhage	729
	4 Kidney Disease	703
	5 Infant Death (under 1year)	672
	6 Injuries	550
	7 Tuberculosis	362
	8 Diabetes	332
	9 Bronchitis & Pneumonia	314
	13 Homicide	89
	Other	1,131

<b>Population</b>	<b>968,000</b>
<b>Deaths</b>	<b>10,772</b>
<b>Births</b>	<b>21,496</b>
<b>Infant Mortality</b>	<b>672</b>
<b>Rate:</b>	<b>31.3 per 1,000 live births</b>

	<i>CAUSES OF DEATH</i>	<i>NUMBER</i>
	All Causes	9,629
<i>Rank</i>		
1	Heart Disease	2,874
2	Cancer	2,147
3	Cerebral Hemorrhage	499
4	Pneumonia & Influenza	353
5	COPD	302
6	Injuries	267
7	Diabetes	259
8	Homicide	253
9	Septicemia	241
10	HIV	213
	Other	2,221

<b>Population</b>	<b>740,697</b>
<b>Deaths</b>	<b>9,629</b>
<b>Births</b>	<b>13,800</b>
<b>Infant Mortality</b>	<b>204</b>
<b>Rate:</b>	<b>14.8 per 1,000 live births</b>

Infant Mortality Rate

	1992	1993	1994	1995	1996	1997	1998	1999
All Races	14.2	13.8	13.6	12.5	11.6	14.4	12.2	13.5
African American	16.1	16.5	15.6	14.6	13.7	18	14.9	15.6
White	6.7	7.5	8.6	8.3	6.6	5.9	4.7	8.2

	1996		1997
White Males	116,420	17%	111,430
African American Males	199,450	29%	190,900
Other Males	5,670	1%	5,427
White Females	129,710	19%	124,150
African American Females	234,360	34%	224,314
Other Females	5,520	1%	5,283
	691,130		661,504

year 1996

	Under 5 years	5 - 19 years	20 - 44 years	45 - 64 years
Male	28,840	70,250	129,610	58,310
Female	27,710	69,800	142,350	70,490

Year 1997

Male	27,604	67,239	124,054	55,810
Female	26,522	66,808	136,248	67,468

0.957133969

YEAR	UNEMPLOYMENT		MEDICAL ASSISTANCE ENROLMENT	
	RATE	NUMBER	RATE	
1991	10.1	33,884	25	
1992	11.1	37,000	27	
1993	10.6	34,723	26	
1994	8.9	28,224	26	
1995	8.3	26,578	27	
1996	8.1	25,828	25.7	
1997*	8.4	27,025		

	Under 5	5yrs - 19	20-44	45 - 64
Male	28,840	70,250	129,610	58,310
Female	27,710	69,800	142,350	70,490

	Total
65 years & Over	
34,530	321,540
59,240	369,590
33,050	307,757
56,701	353,747
	661,504

65 & Over	Totals
34,530	321,540
59,240	369,590
	691,130

**Vision:**

- *To serve as an architect and a catalyst for needed policy development and change in health and human services systems.*
- *To be the leader and advocate for the protection and promotion of the health of Baltimore's citizens.*

**Mission:**

*To have all Baltimoreans live in a healthy environment and have appropriate health care services readily available to them.*

**Goals:**

- *To work in partnership with the community, elected officials, and providers to ensure that quality health care is available for all residents of Baltimore City through legislative advocacy and clinical activities*
- *To reduce the incidence of risk factors among adolescents which lead to unhealthy outcomes; and*
- *To advocate for health, mental hygiene, environmental health, and substance abuse services where they are needed*

**Priorities:**

- *Increase access to health care*
- *Reduce substance abuse and related issues (i.e., HIV/AIDS, crime)*
- *Reduce incidence of syphilis and other STD's*
- *Prevent adolescent and child morbidity*
- *Increase community participation in environmental issues*
- *Increase cancer awareness and early detection*

**Staffing:**

- *Full Time Employees : 742*
- *Part Time Employees: 297*

RACE	SEX	AGE0_4	AGE5_9	AGE10_14	AGE15_19	AGE20_24
		46012	47397	44599	44219	40488
	f	22554	23417	21865	22518	20993
	m	23458	23980	22734	21701	19495
1W		10467	10555	9656	11318	12882
1W	f	5126	5162	4622	5687	6555
1W	m	5341	5393	5034	5631	6327
2B		34775	36159	34317	32004	26480
2B	f	17060	17950	16930	16414	13886
2B	m	17715	18209	17387	15590	12594

	0-4	5-19	20-44	45-64	65+
African American	34,775	102,480	162,986	84,667	41,729
Caucasian	10,467	31,529	71,729	41,291	40,639
Other	770	2,206	4,725	1,932	756

	1993	1994	1995	1996	1997	1998
Unemployment	10.5	8.8	8.5	8.1	9.6	9.2
Medical Assistance	26	26	26	27	25.7	26

AGE25_29	AGE30_34	AGE35_39	AGE40_44	AGE45_49	AGE50_54	AGE55_59	AGE60_64	AGE65_69
43146	52771	56369	46666	38396	34120	29564	25810	23108
22429	27754	29171	24547	20690	18901	16583	14529	13115
20717	25017	27198	22119	17706	15219	12981	11281	9993
12832	15172	16713	14130	11881	11000	9596	8814	8443
6160	7252	7902	6812	5783	5475	4985	4704	4770
6672	7920	8811	7318	6098	5525	4611	4110	3673
29187	36591	38872	31856	25987	22530	19523	16627	14429
15658	20015	20898	17427	14621	13100	11374	9640	8213
13529	16576	17974	14429	11366	9430	8149	6987	6216

**Total**

426,637

195,655

10,389


1999

7.1

27.9


AGE70_74	AGE75_79	AGE80_84	AGE85OV	TOTAL
20747	18226	11041	10002	632681
12398	11456	7201	7279	337400
8349	6770	3840	2723	295281
9598	9939	6636	6023	195655
5797	6232	4322	4451	101797
3801	3707	2314	1572	93858
10956	8143	4329	3872	426637
6487	5147	2838	2759	230417
4469	2996	1491	1113	196220


IMPLEMENT A SYSTEM OF HEALTH CARE FOR ALL	45,929,810	32%
REDUCE SUBSTANCE ABUSE	27,930,650	20%
REDUCE SEXUALLY TRANSMITTED DISEASE	27,491,619	19%
PREVENT ADOLESCENT AND CHILD MORBIDITY AND MORTALITY	31,178,845	22%
INCREASE COMMUNITY PARTICIPATION IN ENVIRONMENTAL HEALTH ISSUES	5,821,527	4%
INCREASE CANCER AWARENESS AND EARLY DETECTION	144,000	0%
ADMIN., SUPPORT AND BASIC SERVICES	3,046,054	2%



Federal Grants	107288863	76.5%
State Grants	10075788	7.2%
Other Grants	4845005	3.5%
General Funds	17973987	12.8%

# **Budget By Objective, FY1999**







Indicator	Number
# of health education/risk reduction counseling sessions	44,861
# of MCHIP/Medicaid applications received for children	22,571
# of patients receiving substance abuse treatment	18,270
# of unduplicated patient visits to STD clinics	15,453
# of MCHIP/Medicaid applications received for pregnant women	4,051
# of unduplicated uninsured men treated at the Men's Health Center*	1,250

## The Men's Health Center

In April 2000, the nation's first Men's Health Center opened its doors.

Since that time, thousands of uninsured men from all over Baltimore City have received services.

Figure 6: Men's Health Center Client Residences



Top 10 Services Provided	Rank
Blood Pressure	1
Social Services:	2
Dermatology	3
Physical Exam	4
Diabetes	5
Dental	6
STD	7
Addiction	8
Respiratory	9
Cardiac	10

The Men's Health Center is located at:

**1515 W. North Avenue**

	Baltimore	Maryland
Infant Mortality Rate (per 1,000 live births)	13.5	8.3
% Low Birth Weight	15	9.1
% Late or No Prenatal Care	6.7	3.1

	1993	1994	1995	1996	1997	1998	1999**
Unemployment	10.6	8.9	8.3	8.1	8.4	9.2	7.1
Medical Assistance	26	26	26	27	25.7	26	

Patients Served 1997	FY1999	
Adult Health	700	2,909
Prenatal Care	2,760	2,390
Dental Health	3,090	2,500
Family Planning	3,517	1,962
Child Health	4,501	182,688
Addictions	18,500	19,158
STD Clinics	23,458	38,989

*** Screenings	170,963	83,221
** Specialty	456,826	

	1992	1993	1994	1995	1996	1997	1998	1999
Teen (15-19 Years)	114.3	112.5	107.2	99.2	91.6	91.1	90.4	95.6
General (15 - 44 Years)	75.1	71.3	69.6	61	58.3	61	63	66
African American Teen								112.9
White Teen								46.1